Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Organometallic Chemistry 672 (2003) 131
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Author Index of Volume 672

Alvarez-Toledano, C., 115
Arias, J., 34

Barrau, J., 77
Bieg, T., 43
Bosque, R., 34
Brenna, S., 123

Cai, R., 94
Clercq, B.D., 11

d'Arbeloff–Wilson, S.E., 1
del Rio, F., 58

Ernst, R.D., 109
Evangelio, E., 34

Flores, R., 115
Font-Bardía, M., 34
Fu, N.-Y., 52

Galli, S., 123
García, J.J., 58
Gómez, E., 115
Gornitzka, H., 77
Griffith, C.S., 17
Grobelny, Z., 43

Han, J., 86
Hernández-Ortega, S., 58
Hitchcock, P.B., 1
Hogarth, G., 22, 29
Huerta, G., 115

Ishikawa, M., 72

Kawaguchi, H., 1
Koutsantonis, G.A., 17
Krompiec, 43
Kunai, A., 72

López, C., 34, 58

Maercker, A., 43
Maspero, A., 123
Miqueu, K., 77
Mochida, K., 100
Monari, M., 130
Morales-Morales, D., 58
Morejko-Buż, B., 43
Muñóz-Hernández, M.A., 58

Nakata, N., 66
Nanjo, M., 100
Nava, N., 115
Nixon, J.F., 1

O'Brien, M., 22, 29
Oda, T., 100
Ohshita, J., 72

Palazzi, A., 130
Pang, M.-L., 52
Penoni, A., 123
Peppe, C., 52

Rheingold, A.L., 109
Rima, G., 77

Santes, V., 115
Saur, I., 77
Selva, S., 130
Sharma, P., 115
Skelton, B.W., 17
Solans, X., 34
Stagni, S., 130
Stanisław, 43
Stolarzewicz, A., 43

Takayama, H., 72
Takeda, N., 66
Tatsumi, K., 1
Tocher, D.A., 22, 29
Tokitoh, N., 66
Toscano, R.A., 58, 115
Turpin, G.C., 109

Verpoort, F., 11

Wan, W., 86
Wang, J.-T., 52
Weng, L., 94
White, A.H., 17

Yuan, Y.-F., 52

Zhang, J., 94
Zhang, L.F., 86
Zhou, X., 94

Elsevier Science B.V.
doi:10.1016/S0022-328X(03)00250-X

Available online at www.sciencedirect.com
SCIENCE DIRECT
ELSEVIER
Journal of Organometallic Chemistry 672 (2003) 133–135
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 672

Activation of C–H
Activation of σ(C–H) bonds of [Fe{(η^5-C_5H_4)–C(Me)=N–N=C(H)(C_6H_3–2,6-R)}$_2$] (with R = Cl or H) promoted by palladium(II), 34
Acylpolysilane
Thermal isomerization of 1,2-diadamantoyltetrakis(trimethylsilyl)disilane via a 2,3-disilabutadiene intermediate, 72
Alkyne dimerization
Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11
Arene
Synthesis of (η^6-arene)tricarbonylmetal and (σ-nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58
Atom transfer radical addition
Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11

Biginelli coupling
Indium(III) halides-catalyzed preparation of ferrocene-dihydropyrimidinones, 52

Carbodiimide
Insertion of carbodiimide into the Ln–N σ-bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidinates (C_5H_5)$_2$Ln[^{i}PrN=C(N^{i}Pr$_2$)=N^{i}Pr] (Ln = Yb, Dy, Gd), 94
Carbonyl
Crystal and molecular structures of dppm-bridged diiron dithiolate complexes [$Fe_2(CO)_4$(μ-SAr)$_2$(μ-dppm)] (Ar = Ph, *p*-tol; Ar_2 = C=N–*p*-tol), 29
Catalysis
Synthesis and characterisation of new polynuclear copper(I) pyrazolate complexes and their catalytic activity in the cyclopropanation of olefins, 123
Chalcogenide
[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospha-alkyne PC^{t}Bu. Syntheses, crystal and molecular structures of the four complexes [Zr(η^5-(C_5Me_5)$_2$(SC(^{t}Bu)=P))], [Zr(η^5-(C_5Me_5)$_2$(SeC(^{t}Bu)=P))], [Zr(η^5-(C_5Me_5)$_2$(SC(^{t}Bu)=PSe))] and [Zr(η^5-(C_5Me_5)$_2$(SC(^{t}Bu)=PC(Ph)=N))], 1
Chromium
Synthesis of (η^6-arene)tricarbonylmetal and (σ-nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58
Cluster
Structural characterization of [Ru_3Mo(μ$_3$-η^1-CC}(μ-CO)$_3$(CO)$_2$(η-C_5H_5)$_5$]: a revisitation, 17

Cyclo-addition
[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospha-alkyne PC^{t}Bu. Syntheses, crystal and molecular structures of the four complexes [Zr(η^5-(C_5Me_5)$_2$(SC(^{t}Bu)=P))], [Zr(η^5-(C_5Me_5)$_2$(SeC(^{t}Bu)=P))], [Zr(η^5-(C_5Me_5)$_2$(SC(^{t}Bu)=PSe))] and [Zr(η^5-(C_5Me_5)$_2$(SC(^{t}Bu)=PC(Ph)=N))], 1
Cyclopentadienyl
Insertion of carbodiimide into the Ln–N σ-bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidinates (C_5H_5)$_2$Ln[^{i}PrN=C(N^{i}Pr$_2$)=N^{i}Pr] (Ln = Yb, Dy, Gd), 94
Cyclopropanation
Synthesis and characterisation of new polynuclear copper(I) pyrazolate complexes and their catalytic activity in the cyclopropanation of olefins, 123

Diastereomers
Synthetic, spectroscopic, and structural studies of bis(2-methyl-4-phenylpentadienyl)ruthenium, Ru(2-CH_3-4-$C_6H_5C_5H_5$)$_2$: characterization of isomeric open ruthenocenes, 109
β-Diketone
Synthesis and mesomorphic properties of γ-substituted β-diketones and their dicarbonylrhodium(I) complexes, 86
Diphosphine
Crystal and molecular structures of dppm-bridged diiron dithiolate complexes [$Fe_2(CO)_4$(μ-SAr)$_2$(μ-dppm)] (Ar = Ph, *p*-tol; Ar_2 = C=N–*p*-tol), 29
Disiladiene
Thermal isomerization of 1,2-diadamantoyltetrakis(trimethylsilyl)disilane via a 2,3-disilabutadiene intermediate, 72
Dithiolate
Crystal and molecular structures of dppm-bridged diiron dithiolate complexes [$Fe_2(CO)_4$(μ-SAr)$_2$(μ-dppm)] (Ar = Ph, *p*-tol; Ar_2 = C=N–*p*-tol), 29

Enol ester synthesis
Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11

Ferrocene-dihydropyrimidinones
Indium(III) halides-catalyzed preparation of ferrocene-dihydropyrimidinones, 52

Germabenzene
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66
Germanium
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes L^2(X)MM′L$_n$′ [L^2 = PhNC(Me)CHC(Me)

Elsevier Science B.V.
doi:10.1016/S0022-328X(03)00248-1

NPh; X = Cl, I; M = Ge, Sn; $M'L_n'$ = $W(CO)_5$, $Fe(CO)_4$], 77

Germylzinc halides
Preparation and structural characterization of trimethylsilyl-substituted germylzinc halides, $(Me_3Si)_3GeZnX$ (X = Cl, Br, and I) and silylzinc chloride, $R(Me_3Si)_2SiZnCl$ (R = $SiMe_3$ and Ph), 100

Homogeneous catalysis
Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11

Indium(III) halides
Indium(III) halides-catalyzed preparation of ferrocene-dihydropyrimidinones, 52

Insertion
Insertion of carbodiimide into the Ln–N σ-bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidinates $(C_5H_5)_2Ln[^iPrN{=}C(N^iPr_2){=}N^iPr]$ (Ln = Yb, Dy, Gd), 94

Iron
Activation of σ(C–H) bonds of $[Fe\{(\eta^5\text{-}C_5H_4)\text{–}C(Me){=}N\text{–}N{=}C(H)(C_6H_3\text{–}2,6\text{-}R)\}_2]$ (with R = Cl or H) promoted by palladium(II), 34
Crystal and molecular structures of dppm-bridged diiron dithiolate complexes $[Fe_2(CO)_4(\mu\text{-}SAr)_2(\mu\text{-dppm})]$ (Ar = Ph, *p*-tol; Ar_2 = C=N–*p*-tol), 29
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes $L^2(X)MM'L_n'$ [L^2 = PhNC(Me)-CHC(Me)NPh; X = Cl, I; M = Ge, Sn; $M'L_n'$ = $W(CO)_5$, $Fe(CO)_4$], 77
Thiocarbyl ligands via elimination of pentafluorobenzene at a diiron centre: crystal structures of $[Fe_2(CO)_4\{\mu\text{-SC}(Ph){=}CH\}(\mu\text{-dppm})]$ and $[Fe_2(CO)_4\{\mu\text{-SCH}{=}C(Ph)C(O)\}(\mu\text{-dppm})]$, 22

Liquid crystal
Synthesis and mesomorphic properties of γ-substituted β-diketones and their dicarbonylrhodium(I) complexes, 86

Molybdenum
Structural characterization of $[Ru_3Mo(\mu_3\text{-}\eta^1\text{-CC}\}(\mu\text{-CO})_3(CO)_2(\eta\text{-}C_5H_5)_5]$: a revisitation, 17
Synthesis of (η^6-arene)tricarbonylmetal and (σ-nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58

Mössbauer spectroscopy
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115

N-heterocyclic carbene ligand
Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11

Organolanthanide
Insertion of carbodiimide into the Ln–N σ-bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidinates $(C_5H_5)_2Ln[^iPrN{=}C(N^iPr_2){=}N^iPr]$ (Ln = Yb, Dy, Gd), 94

Organometallic complexes
Synthesis and mesomorphic properties of γ-substituted β-diketones and their dicarbonylrhodium(I) complexes, 86

Palladium
Activation of σ(C–H) bonds of $[Fe\{(\eta^5\text{-}C_5H_4)\text{–}C(Me){=}N\text{–}N{=}C(H)(C_6H_3\text{–}2,6\text{-}R)\}_2]$ (with R = Cl or H) promoted by palladium(II), 34

Pentacoordinated
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115

Pentadienyl complexes
Synthetic, spectroscopic, and structural studies of bis(2-methyl-4-phenylpentadienyl)ruthenium, $Ru(2\text{-}CH_3\text{-}4\text{-}C_6H_5C_5H_5)_2$: characterization of isomeric open ruthenocenes, 109

Pentafluorophenylthiol
Thiocarbyl ligands via elimination of pentafluorobenzene at a diiron centre: crystal structures of $[Fe_2(CO)_4\{\mu\text{-SC}(Ph){=}CH\}(\mu\text{-dppm})]$ and $[Fe_2(CO)_4\{\mu\text{-SCH}{=}C(Ph)C(O)\}(\mu\text{-dppm})]$, 22

Pentathiagermepane
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66

(2-Phenylethyl)oxirane
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with K^-, K^+(15-crown-5)$_2$, 43

(Phenylmethyl)oxirane
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with K^-, K^+(15-crown-5)$_2$, 43

Phenyloxirane
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with K^-, K^+(15-crown-5)$_2$, 43

Phospha-alkyne
[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospha-alkyne PC^tBu. Syntheses, crystal and molecular structures of the four complexes $[Zr(\eta^5\text{-}(C_5Me_5)_2(SC(^tBu){=}P))]$, $[Zr(\eta^5\text{-}(C_5Me_5)_2(SeC(^tBu){=}P))]$, $[Zr(\eta^5\text{-}(C_5Me_5)_2(SC(^tBu){=}PSe))]$ and $[Zr(\eta^5\text{-}(C_5Me_5)_2(SC(^tBu){=}PC(Ph){=}N))]$, 1

Potassium alkalide solution
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with K^-, K^+(15-crown-5)$_2$, 43

Potassium anion
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with K^-, K^+(15-crown-5)$_2$, 43

Pyrazolate
Synthesis and characterisation of new polynuclear copper(I) pyrazolate complexes and their catalytic activity in the cyclopropanation of olefins, 123

Pyridine
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115

Reactivity
Preparation and structural characterization of trimethylsilyl-substituted germylzinc halides, $(Me_3Si)_3GeZnX$ (X = Cl, Br, and I) and silylzinc chloride, $R(Me_3Si)_2SiZnCl$ (R = $SiMe_3$ and Ph), 100

Ring expansion
[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospha-alkyne PC^tBu. Syntheses, crystal and molecular structures of the four complexes $[Zr(\eta^5\text{-}(C_5Me_5)_2(SC(^tBu){=}P))]$, $[Zr(\eta^5\text{-}(C_5Me_5)_2(SeC(^tBu){=}P))]$,

[Zr(η^5-(C$_5$Me$_5$)$_2$(SC(^{t}Bu)=PSe))] and [Zr(η^5-(C$_5$Me$_5$)$_2$(SC(^{t}Bu)=PC(Ph)=N))], 1

Ruthenium
Structural characterization of [Ru$_3$Mo(μ$_3$-η^1-CC}(μ-CO)$_3$(CO)$_2$(η-C$_5$H$_5$)$_5$]: a revisitation, 17

Ruthenium complexes
Synthetic, spectroscopic, and structural studies of bis(2-methyl-4-phenylpentadienyl)ruthenium, Ru(2-CH$_3$-4-C$_6$H$_5$C$_5$H$_5$)$_2$: characterization of isomeric open ruthenocenes, 109

Schiff base
Activation of σ(C–H) bonds of [Fe{(η^5-C$_5$H$_4$)–C(Me)=N–N=C(H)(C$_6$H$_3$–2,6-R)}$_2$] (with R = Cl or H) promoted by palladium(II), 34

Silene
Thermal isomerization of 1,2-diadamantoyltetrakis(trimethylsilyl)disilane via a 2,3-disilabutadiene intermediate, 72

Silylzinc chlorides
Preparation and structural characterization of trimethylsilyl-substituted germylzinc halides, (Me$_3$Si)$_3$GeZnX (X = Cl, Br, and I) and silylzinc chloride, R(Me$_3$Si)$_2$SiZnCl (R = SiMe$_3$ and Ph), 100

^{119}Sn-NMR
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115

Structural studies
Synthetic, spectroscopic, and structural studies of bis(2-methyl-4-phenylpentadienyl)ruthenium, Ru(2-CH$_3$-4-C$_6$H$_5$C$_5$H$_5$)$_2$: characterization of isomeric open ruthenocenes, 109

Structure
Preparation and structural characterization of trimethylsilyl-substituted germylzinc halides, (Me$_3$Si)$_3$GeZnX (X = Cl, Br, and I) and silylzinc chloride, R(Me$_3$Si)$_2$SiZnCl (R = SiMe$_3$ and Ph), 100

Structures
Insertion of carbodiimide into the Ln–N σ-bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidinates (C$_5$H$_5$)$_2$Ln[^{i}PrN–C(N^{i}Pr$_2$)–N^{i}Pr] (Ln = Yb, Dy, Gd), 94

Tetrahydroisoquinoline
Synthesis of (η^6-arene)tricarbonylmetal and (σ-nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58

Tetrahydroquinoline
Synthesis of (η^6-arene)tricarbonylmetal and (σ-nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58

Tetrameric complexes
Synthesis and characterisation of new polynuclear copper(I) pyrazolate complexes and their catalytic activity in the cyclopropanation of olefins, 123

Thioalkyne
Thiocarbyl ligands via elimination of pentafluorobenzene at a diiron centre: crystal structures of [Fe$_2$(CO)$_4${μ-SC(Ph)=CH}(μ-dppm)] and [Fe$_2$(CO)$_4${μ-SCH=C(Ph)C(O)}(μ-dppm)], 22

Thiocarbonyl
Thiocarbyl ligands via elimination of pentafluorobenzene at a diiron centre: crystal structures of [Fe$_2$(CO)$_4${μ-SC(Ph)=CH}(μ-dppm)] and [Fe$_2$(CO)$_4${μ-SCH=C(Ph)C(O)}(μ-dppm)], 22

Tin
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes L^2(X)MM′L′$_n$ [L^2 = PhNC(Me)CHC(Me)NPh; X = Cl, I; M = Ge, Sn; M′L′$_n$ = W(CO)$_5$, Fe(CO)$_4$], 77

Tin(IV)
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115

Transition-metal complexes of M$_{14}$ divalent species
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes L^2(X)MM′L′$_n$ [L^2 = PhNC(Me)CHC(Me)NPh; X = Cl, I; M = Ge, Sn; M′L′$_n$ = W(CO)$_5$, Fe(CO)$_4$], 77

Triselenagermolane
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66

Trithiagermolane
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66

Tungsten
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes L^2(X)MM′L′$_n$ [L^2 = PhNC(Me)CHC(Me)NPh; X = Cl, I; M = Ge, Sn; M′L′$_n$ = W(CO)$_5$, Fe(CO)$_4$], 77
Synthesis of (η^6-arene)tricarbonylmetal and (σ-nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58

X-ray crystallographic analysis
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66

X-ray diffraction
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115
Preparation and structural characterization of trimethylsilyl-substituted germylzinc halides, (Me$_3$Si)$_3$GeZnX (X = Cl, Br, and I) and silylzinc chloride, R(Me$_3$Si)$_2$SiZnCl (R = SiMe$_3$ and Ph), 100

Zirconium
[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospha-alkyne PC^{t}Bu. Syntheses, crystal and molecular structures of the four complexes [Zr(η^5-(C$_5$Me$_5$)$_2$(SC(^{t}Bu)=P))], [Zr(η^5-(C$_5$Me$_5$)$_2$(SeC(^{t}Bu)=P))], [Zr(η^5-(C$_5$Me$_5$)$_2$(SC(^{t}Bu)=PSe))] and [Zr(η^5-(C$_5$Me$_5$)$_2$(SC(^{t}Bu)=PC(Ph)=N))], 1